

Inspiration Collection | Phase

Style	Tufted 1/12" Gauge Loop Pile Tile
Yarn Construction	100% Solution Dyed Nylon
Pile Yarn Weight	610gsm
Pile Height	2.5mm - 5.5mm
Total Weight	4310gsm
Total Thickness	7mm ± 0.5mm
Backing	100% Envirobase - minimum of 75% recycled material
Additional Backing	Komfort Bac available on request
Tile Size	50cm x 50cm
Tiles Per Box	20 (5m²)
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-Static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) >5 Shampoo (BS 1006:UK-TB:1990) >4 Dry Rubbing (BS EN ISO 105:B01) >4 Wet Rubbing (BS EN ISO 105:X12) >4
Flammability	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
BS EN 13501	Class Bfl-s1
Castor Chair Test	Suitable for intensive use with castor chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004















Style	Tufted 1/12" Gauge Loop Pile Tile
Yarn Construction	100% Solution Dyed Nylon
Pile Yarn Weight	750gsm
Pile Height	3mm - 6.5mm
Total Weight	4450gsm
Total Thickness	8mm ± 0.5mm
Backing	100% Envirobase - minimum of 75% recycled material
Additional Backing	Komfort Bac available on request
Tile Size	50cm x 50cm
Tiles Per Box	20 (5m²)
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-Static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) >5 Shampoo (BS 1006:UK-TB:1990) >4 Dry Rubbing (BS EN ISO 105:B01) >4 Wet Rubbing (BS EN ISO 105:X12) >4
Flammability	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
BS EN 13501	Class Bfl-s1
Castor Chair Test	Suitable for intensive use with castor chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004
















Inspiration Collection | Mesh

Style	Tufted 1/10" Gauge Loop Pile Tile
Yarn Construction	100% Solution Dyed Nylon
Pile Yarn Weight	750gsm
Pile Height	2.5mm - 5.5mm
Total Weight	4450gsm
Total Thickness	7mm ± 0.5mm
Backing	100% Envirobase - minimum of 75% recycled material
Additional Backing	Komfort Bac available on request
Tile Size	50cm x 50cm
Tiles Per Box	20 (5m²)
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-Static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) >5 Shampoo (BS 1006:UK-TB:1990) >4 Dry Rubbing (BS EN ISO 105:B01) >4 Wet Rubbing (BS EN ISO 105:X12) >4
Flammability	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
BS EN 13501	Class Bfl-s1
Castor Chair Test	Suitable for intensive use with castor chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004
















Inspiration Collection | Cresta

Style	Tufted 1/12" Gauge Loop Pile Tile
Yarn Construction	100% Solution Dyed Nylon
Pile Yarn Weight	750gsm
Pile Height	3mm - 5mm
Total Weight	4450gsm
Total Thickness	7mm ± 0.5mm
Backing	100% Envirobase - minimum of 75% recycled material
Additional Backing	Komfort Bac available on request
Tile Size	50cm x 50cm
Tiles Per Box	20 (5m²)
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-Static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) >5 Shampoo (BS 1006:UK-TB:1990) >4 Dry Rubbing (BS EN ISO 105:B01) >4 Wet Rubbing (BS EN ISO 105:X12) >4
Flammability	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
BS EN 13501	Class Bfl-s1
Castor Chair Test	Suitable for intensive use with castor chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004











